

# UNCLASSIFIED

|   |
|---|
|   |
|   |
|   |
|   |
| AD NUMBER   |
| ADB263270   |
| NEW LIMITATION CHANGE   |
| TO<br>Approved for public release, distribution unlimited   |
| FROM<br>Distribution authorized to U.S. Gov't. agencies only; Proprietary Information; Oct 1999. Other requests shall be referred to U.S. Army Medical Research and Materiel Command, 504 Scott Street, Fort Detrick, MD 21702-5012 |
| AUTHORITY   |
| USAMRMC ltr, 23 Aug 2001  |

THIS PAGE IS UNCLASSIFIED

AD \_\_\_\_\_

GRANT NUMBER DAMD17-94-J-4365

TITLE: Incidence and Psychophysiology of Post-Traumatic Stress  
Disorder in Breast Cancer Victims and Witnesses

PRINCIPAL INVESTIGATOR: Roger K. Pitman, M.D.

CONTRACTING ORGANIZATION: Harvard College  
Cambridge, Massachusetts 02138

REPORT DATE: October 1999

TYPE OF REPORT: Final

PREPARED FOR: Commander  
U.S. Army Medical Research and Materiel Command  
Fort Detrick, Frederick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Distribution authorized to U.S. Government agencies only (proprietary information, Oct 99). Other requests for this document shall be referred to U.S. Army Medical Research and Materiel Command, 504 Scott Street, Fort Detrick, Maryland 21702-5012.

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

DTIC QUALITY INSPECTED 4

20010206 119

## NOTICE

USING GOVERNMENT DRAWINGS, SPECIFICATIONS, OR OTHER DATA INCLUDED IN THIS DOCUMENT FOR ANY PURPOSE OTHER THAN GOVERNMENT PROCUREMENT DOES NOT IN ANY WAY OBLIGATE THE U.S. GOVERNMENT. THE FACT THAT THE GOVERNMENT FORMULATED OR SUPPLIED THE DRAWINGS, SPECIFICATIONS, OR OTHER DATA DOES NOT LICENSE THE HOLDER OR ANY OTHER PERSON OR CORPORATION; OR CONVEY ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE, OR SELL ANY PATENTED INVENTION THAT MAY RELATE TO THEM.

### LIMITED RIGHTS LEGEND

Award Number: DAMD17-94-J-4365  
Organization: Harvard College

Those portions of the technical data contained in this report marked as limited rights data shall not, without the written permission of the above contractor, be (a) released or disclosed outside the government, (b) used by the Government for manufacture or, in the case of computer software documentation, for preparing the same or similar computer software, or (c) used by a party other than the Government, except that the Government may release or disclose technical data to persons outside the Government, or permit the use of technical data by such persons, if (i) such release, disclosure, or use is necessary for emergency repair or overhaul or (ii) is a release or disclosure of technical data (other than detailed manufacturing or process data) to, or use of such data by, a foreign government that is in the interest of the Government and is required for evaluational or informational purposes, provided in either case that such release, disclosure or use is made subject to a prohibition that the person to whom the data is released or disclosed may not further use, release or disclose such data, and the contractor or subcontractor or subcontractor asserting the restriction is notified of such release, disclosure or use. This legend, together with the indications of the portions of this data which are subject to such limitations, shall be included on any reproduction hereof which includes any part of the portions subject to such limitations.

THIS TECHNICAL REPORT HAS BEEN REVIEWED AND IS APPROVED FOR PUBLICATION.

Patricia C. Modrow 11/1/01

\_\_\_\_\_

\_\_\_\_\_

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

|  |  |   |                                       |   |  |
|--|--|---|---------------------------------------|---|--|
| 1. AGENCY USE ONLY (Leave blank)   |  | 2. REPORT DATE<br>October 1999                          |                                       | 3. REPORT TYPE AND DATES COVERED<br>FINAL 26 Sep 94 - 25 Sep 99 |  |
| 4. TITLE AND SUBTITLE<br>Incidence and Psychophysiology of Post-Traumatic Stress Disorder in Breast Cancer Victims and Witnesses   |  |   |                                       | 5. FUNDING NUMBERS<br>DAMD17-94-J-4365                          |  |
| 6. AUTHOR(S)<br>Roger K. Pitman, M.D.  |  |   |                                       |   |  |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br>Harvard College<br>Cambridge, Massachusetts 02138  |  |   |                                       | 8. PERFORMING ORGANIZATION REPORT NUMBER                        |  |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)<br>Commander<br>U.S. Army Medical Research and Materiel Command<br>Fort Detrick, Frederick, Maryland 21702-5012  |  |   |                                       | 10. SPONSORING/MONITORING AGENCY REPORT NUMBER                  |  |
| 11. SUPPLEMENTARY NOTES  |  |   |                                       |   |  |
| 12a. DISTRIBUTION / AVAILABILITY STATEMENT<br>Distribution authorized to U.S. Government agencies only (proprietary information, Oct 99). Other requests for this document shall be referred to U.S. Army Medical Research and Materiel Command, 504 Scott Street, Fort Detrick, Maryland 21702-5012.  |  |   |                                       | 12b. DISTRIBUTION CODE  |  |
| 13. ABSTRACT (Maximum 200)<br>This study evaluated breast-cancer patients and their "witnesses" (significant others) for post-traumatic stress disorder (PTSD) related to the patient's breast cancer experience. Participants were interviewed by telephone with the PTSD Checklist (PCL), invited to come for a personal interview with the Clinician-Administered PTSD Scale (CAPS), and then invited for psychophysiologic testing. The estimated incidence of breast cancer-related PTSD during the approximately two years elapsed since tissue diagnosis was 24% (21/87) in patients and 23% (7/31) in witnesses. The estimated point prevalence of breast cancer-related PTSD at the time of interview was 9% (8/87) in patients and 3% (1/31) in witnesses. Physiologic responses were measured in 5 Current, 7 Past, and 25 Never patients, and in 1 Current, 5 Past, and 17 Never witnesses, while they listened to tape-recorded "scripts" portraying their personal experiences with breast cancer. MANOVA yielded an overall group effect of $F(8,62)=2.5$ , $p=.02$ for patients and $F(4,18)=6.8$ , $p=.002$ for witnesses. Current PTSD patients showed statistically larger heart rate, skin conductance, and corrugator electromyogram responses than both Past and Never patients. Current/Past PTSD witnesses showed statistically larger skin conductance responses than Never witnesses. We conclude that being diagnosed with breast cancer can cause psychophysiologically reactive PTSD in breast cancer patients and their witnesses. |  |   |                                       |   |  |
| 14. SUBJECT TERMS<br>Breast Cancer, stress disorders, post-traumatic, psychophysiology   |  |   |                                       | 15. NUMBER OF PAGES<br>13                                       |  |
|  |  |   |                                       | 16. PRICE CODE  |  |
| 17. SECURITY CLASSIFICATION OF REPORT<br>Unclassified  | 18. SECURITY CLASSIFICATION OF THIS PAGE<br>Unclassified | 19. SECURITY CLASSIFICATION OF ABSTRACT<br>Unclassified | 20. LIMITATION OF ABSTRACT<br>Limited |   |  |

## FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

\_\_\_\_ Where copyrighted material is quoted, permission has been obtained to use such material.

\_\_\_\_ Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

\_\_\_\_ Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.

\_\_\_\_ In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and use of Laboratory Animals of the Institute of Laboratory Resources, national Research Council (NIH Publication No. 85-23, Revised 1985).

MS For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.

\_\_\_\_ In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

\_\_\_\_ In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

\_\_\_\_ In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

Prof. K. R. MS 11/14/00  
PI - Signature Date

Principal Investigator: Roger K. Pitman, M.D.

Note: This report contains unpublished data which are not to be disseminated.

#### 4. TABLE OF CONTENTS

|   |    |
|---|----|
| Introduction                                | 5  |
| Body of Report                              | 5  |
| Conclusions                                 | 8  |
| References                                  | 8  |
| Meeting Abstract                            | 9  |
| Publications                                | 9  |
| Personnel Receiving Pay During Grant Period | 9  |
| Tables                                      | 10 |

Principal Investigator: Roger K. Pitman, M.D.

Note: This report contains unpublished data which are not to be disseminated.

## 5. INTRODUCTION

The *Diagnostic and Statistical Manual of Mental Disorders*, 4<sup>th</sup> edition (DSM-IV),<sup>1</sup> includes "being diagnosed with a life-threatening illness" among examples of traumatic events capable of causing post-traumatic stress disorder (PTSD). However, this proposition has received relatively little empirical investigation, and to our knowledge it has not been subjected to psychophysiologic testing. Although there is no doubt that extremely stressful events such as military combat or rape can cause PTSD, the ability of less acute stressors, such as being diagnosed with cancer, to cause PTSD remains unclear. Although a lesion on a mammogram may be as dangerous as a rapist's knife, the threat it poses is less immediate and palpable, making the plausibility of the PTSD outcome less clear. This study evaluated recently diagnosed breast cancer patients for PTSD by means of a structured psychodiagnostic interview and a psychophysiologic script-driven imagery technique.

The DSM-IV also includes "learning about ... threat of death ... experienced by a family member" among examples of traumatic events capable of causing PTSD. It specifically mentions "learning that one's child has a life-threatening disease," but presumably learning the same about one's spouse or significant other would also qualify. This provision has received even less empirical investigation, and to our knowledge it also has not been subjected to psychophysiologic testing. Therefore, this study also evaluated breast cancer patients' "witnesses," i.e., significant others, with the same protocol.

## 6. BODY OF REPORT

Methods. All breast cancer patients diagnosed during the period 1994-96 in the private practices of four selected local surgeons were identified from a local tumor registry. University and local Institution Review Board (IRB) approval was obtained for the release of identifying information back to the surgeons' offices, but the local IRB did not permit the investigators to have access to patients' identities. The surgeons attempted to locate and refer for participation patients who were a.) age 18 or older; b.) at least one year post-tissue diagnosis of breast cancer greater than Stage 0

Principal Investigator: Roger K. Pitman, M.D.

Note: This report contains unpublished data which are not to be disseminated.

and less than Stage IV; c.) finished with initial treatment; d.) free of recurrence; and e.) without potentially interfering medical or psychiatric conditions.

Referred patients were interviewed by telephone with the PTSD Checklist (PCL),<sup>2</sup> then invited to come for a personal interview by a psychiatrist who administered the Clinician-Administered PTSD Scale (CAPS),<sup>3</sup> and finally invited to participate in a validated script-driven imagery psychophysiologic procedure for PTSD.<sup>4-7</sup> In the laboratory, participants listened to tape-recorded "scripts" portraying their most traumatic personal experiences with breast cancer, while physiologic measures were recorded.

A "witness" to each patient's cancer experience, usually the spouse, was also invited to participate in the study's procedures.<sup>8</sup>

Results: Patients. One hundred eighty-seven patient candidates were identified from the tumor registry. Of these, 100 were not referred for participation by their surgeon, for the following reasons: deceased 9, lost to surgeon's follow-up 52, met study exclusion criteria 30, refused participation 9.

All of the 87 patients referred for participation completed the telephone PCL. Of these, 50 agreed to come in for the CAPS. Of those who underwent telephone interview only, 1 met DSM-IV criteria for Current PTSD, 5 for Past PTSD, and 31 for neither (Never had PTSD) related to their personal experiences with breast cancer, according to the PCL. Of those who were interviewed in person, 7 met criteria for current PTSD, 8 for past PTSD, and 35 for neither (i.e., Never), according to the CAPS. Because agreement was good between the PCL and CAPS (weighted  $\kappa=.57$ ), PCL-classified patients were added to CAPS-classified patients to yield an estimated incidence of (current or past) breast cancer-related PTSD during the mean 20.5 (SD 7.6, range 11.2-44.2) months following tissue diagnosis of 24% (21/87), and a point prevalence of current PTSD at the time of interview of 9% (8/87).

Thirty-seven patients who completed the CAPS (5 Current, 7 Past, 25 Never) agreed to participate in psychophysiologic testing. Their demographic, psychometric, and psychophysiologic response data appear in Table 1, along with the results of ANOVAS. Heart rate (HR), skin conductance (SC), lateral frontalis (LF) and corrugator (C)



Principal Investigator: Roger K. Pitman, M.D.

Note: This report contains unpublished data which are not to be disseminated.

electromyographic (EMG) responses during patients' personal script-driven imagery of their breast cancer experiences were entered as simultaneous dependent variables into a MANOVA, which yielded an overall significant group effect:  $F(8,62)=2.5$ ,  $p=.02$ . As shown in Table 1, Current patients showed statistically larger HR, SC, and C-EMG responses than both Past and Never patients. The Current patients' mean physiologic responses were comparable to those observed in persons with PTSD from other traumatic events.<sup>4-7</sup>

Pearson product-moment correlations between current CAPS score and physiologic responses across all patients were significant for all physiologic variables: HR  $r=.38$  ( $p=.02$ ); SC  $r=.34$  ( $p=.04$ ); LF-EMG  $r=.34$  ( $p<.05$ ); C-EMG  $r=.55$  ( $p<.001$ ).

Results: Witnesses. Twenty-four witnesses agreed to undergo the CAPS. An additional 7 agreed to the telephone interview only. Of the latter, 0 met DSM-IV criteria for Current PTSD, 1 for Past PTSD, and 6 for neither (i.e., Never) related to their personal experiences with breast cancer, according to the PCL. Of those who were interviewed in person, 1 met criteria for current PTSD, 5 for past PTSD, and 18 for neither (i.e., Never), according to the CAPS. PCL-classified witnesses were added to CAPS-classified witnesses to yield an estimated incidence of (current or past) breast cancer witnessing-related PTSD during the mean 20.5 ( $SD$  7.6, range 11.2-44.2) months following tissue diagnosis of 23% (7/31), and a point prevalence of current PTSD at the time of interview of 3% (1/31).

Twenty-three witnesses (1 Current, 5 Past, 17 Never) agreed to participate in psychophysiologic testing. Their demographic, psychometric, and psychophysiologic response data appear in Table 2. Because there was only one witness in the Current category, data from the Current and Past witnesses were combined and compared with the data from the Never witnesses. Heart rate (HR), skin conductance (SC), lateral frontalis (LF) and corrugator (C) electromyographic (EMG) responses during personal script-driven imagery of their experiences with witnessing breast cancer were entered into MANOVA, which yielded an overall significant psychophysiologic group effect:  $F(4,18)=6.8$ ,  $p=.002$ . As shown in Table 2, Current/Past witnesses showed statistically larger SC responses than Never witnesses.

Pearson product-moment correlations between current CAPS score and physiologic responses across all witnesses

Principal Investigator: Roger K. Pitman, M.D.

Note: This report contains unpublished data which are not to be disseminated.

were: HR  $r=.21$  ( $p=.32$ ); SC  $r=.54$  ( $p=.009$ ); LF-EMG  $r=.40$  ( $p=.06$ ); C-EMG  $r=.07$  ( $p<.76$ ), i.e., statistically significant for SC.

## 7. CONCLUSIONS

The experience of being diagnosed with and treated for breast cancer appears to be capable of causing PTSD. The lifetime PTSD incidence of 24% is in the range of that observed from other traumatic events.<sup>9</sup> Significantly elevated physiologic responding during script-driven imagery of personal breast cancer experiences in participants with PTSD, and significant positive correlations between current CAPS scores and physiologic responses, support the validity of the PTSD observed in this population. Furthermore, patients' breast cancer events also appear capable of causing psychophysiological positive PTSD in their witnesses.

A limitation of this study is incomplete recruitment from the pool of potential patient candidates, largely due to the unanticipated refusal of the local IRB to allow the investigators to contact patients directly (even though a State law permitted this). This resulted in smaller sample sizes than originally anticipated, introduced potential recruitment biases, and limited statistical power. Therefore, these results should be regarded as tentative pending replication. Institutional Review Boards reviewing proposals for such research in the future should weigh the risk to patients entailed by limited infringements on confidentiality against the loss to science and to the diagnosis and treatment of future patients entailed by recruitment restrictions.

## 8. REFERENCES

1. American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders, 4th Edition. Washington DC: American Psychiatric Association, 1994.
2. Blake DD, Weathers FW, Nagy LN, Kaloupek DG, Gusman FD, Charney DS, Keane TM. The development of a clinician-administered PTSD Scale. Journal of Traumatic Stress 1995;8:75-90.
3. Andrykowski MA, Cordova MJ, Studts JL, Miller TW. Posttraumatic stress disorder after treatment for breast cancer: prevalence of diagnosis and use of the PTSD

Principal Investigator: Roger K. Pitman, M.D.

Note: This report contains unpublished data which are not to be disseminated.

Checklist-Civilian version (PCL-C) as a screening instrument. Journal of Consulting and Clinical Psychology 1998;66:586-590.

4. Pitman RK, Orr SP, Forgue DF, de Jong JB, Claiborn JM. Psychophysiology of PTSD imagery in Vietnam combat veterans. Archives of General Psychiatry 1987;44:970-975.

5. Pitman RK, Orr SP, Forgue DF, Altman B, de Jong JB, Herz LR. Psychophysiologic responses to combat imagery of Vietnam veterans with post-traumatic stress disorder versus other anxiety disorders. Journal of Abnormal Psychology 1990;99:49-54.

6. Orr SB, Pitman RK, Lasko NB, Herz LR. Psychophysiologic assessment of posttraumatic stress disorder imagery in World War II and Korean combat veterans. Journal of Abnormal Psychology 1993;102:152-159

7. Shalev AY, Orr SP, Pitman RK. Psychophysiologic assessment of traumatic imagery in Israeli civilian post-traumatic stress disorder patients. American Journal of Psychiatry 1993;150:620-624.

8. Breslau N, Kessler RC, Chilcoat HD, Schultz LR, Davis GC, Andreski P. Trauma and posttraumatic stress disorder in the community: the 1996 Detroit Area Survey of Trauma. Archives of General Psychiatry 1998;55:626-632.

9. Horowitz KE, Lanes DM. Witness to Illness. Reading, MA: Addison-Wesley, 1992.

Principal Investigator: Roger K. Pitman, M.D.

Note: This report contains unpublished data which are not to be disseminated.

#### 9. MEETING ABSTRACT

Lanes D, Williston S, Metzger L, Orr S, Pitman R.  
Incidence and Psychophysiology of PTSD in breast cancer patients. International Society for Traumatic Stress Studies Annual Meeting 15:186.

#### 10. PUBLICATIONS

In preparation

#### 11. PERSONNEL RECEIVING PAY DURING GRANT PERIOD

Maureen Clark  
Heike Crouteau  
Douglas Lanes  
Diane Leduc  
Lauren McLaughlin  
Linda Metzger  
Nina Murray  
Scott Orr  
Roger Pitman  
Karen Sheldon  
Stephanie Williston

#### TABLES

Table 1. Group Means, Standard Deviations, and Results of Analyses of Variance (ANOVAs) and Post Hoc Comparisons for Demographic, Psychometric, and Psychophysiologic Response Measures in Breast Cancer Patients

Table 2. Group Means, Standard Deviations, and Results of *t*-tests for Demographic, Psychometric, and Psychophysiologic Response Measures in Breast Cancer Witnesses

Table 1. Group Means, Standard Deviations, and Results of Analyses of Variance (ANOVAs) and Post Hoc Comparisons for Demographic, Psychometric, and Psychophysiologic Response Measures in Breast Cancer Patients

| Variable              | CURRENT<br>( <i>n</i> = 5) |               | PAST<br>( <i>n</i> = 7) |               | NEVER<br>( <i>n</i> = 25) |               | ANOVA    |               | POST HOC<br>COMPARISONS |
|-----------------------|----------------------------|---------------|-------------------------|---------------|---------------------------|---------------|----------|---------------|-------------------------|
|                       | <i>M</i>                   | ( <i>SD</i> ) | <i>M</i>                | ( <i>SD</i> ) | <i>M</i>                  | ( <i>SD</i> ) | <i>F</i> | ( <i>df</i> ) | <i>p</i>                |
| <u>Demographics</u>   |                            |               |                         |               |                           |               |          |               |                         |
| Age (years)           | 45.2                       | (6.6)         | 46.4                    | (5.9)         | 57.3                      | (16.0)        | 2.7      | (2,33)        | ns                      |
| Mos. since Diag.      | 19.0                       | (4.1)         | 18.6                    | (6.9)         | 20.9                      | (9.1)         | <1       | (2,33)        | ns                      |
| Education (years)     | 14.2                       | (3.6)         | 14.0                    | (2.2)         | 13.8                      | (2.8)         | <1       | (2,30)        | ns                      |
| <u>Psychometrics</u>  |                            |               |                         |               |                           |               |          |               |                         |
| CAPS Total            | 92.6                       | (28.4)        | 20.7                    | (18.3)        | 11.3                      | (12.0)        | 53.1     | (2,33)        | <.001                   |
| CAPS B                | 29.8                       | (8.9)         | 4.7                     | (4.7)         | 1.9                       | (3.5)         | 72.4     | (2,33)        | <.001                   |
| CAPS C                | 38.0                       | (11.6)        | 10.3                    | (12.4)        | 3.5                       | (5.7)         | 36.7     | (2,33)        | <.001                   |
| CAPS D                | 24.8                       | (12.4)        | 5.7                     | (4.6)         | 5.9                       | (6.3)         | 15.5     | (2,33)        | <.001                   |
| Mississippi Scale     | 111.8                      | (26.8)        | 73.3                    | (16.8)        | 67.1                      | (13.4)        | 15.5     | (2,31)        | <.001                   |
| IES Total             | 53.8                       | (34.9)        | 17.3                    | (9.7)         | 5.5                       | (8.7)         | 19.8     | (2,29)        | <.001                   |
| IES Intrusion         | 14.9                       | (13.3)        | 7.0                     | (6.8)         | 1.6                       | (1.7)         | 10.4     | (2,29)        | <.001                   |
| IES Avoidance         | 18.0                       | (10.8)        | 7.3                     | (2.9)         | 2.7                       | (4.7)         | 14.8     | (2,29)        | <.001                   |
| IES Arousal           | 20.9                       | (13.9)        | 7.0                     | (6.8)         | 1.2                       | (2.9)         | 22.5     | (2,29)        | <.001                   |
| SCL-90-R (GSI)        | 1.7                        | (1.1)         | 0.4                     | (0.3)         | 0.2                       | (0.2)         | 20.9     | (2,32)        | <.001                   |
| STAI (Trait)          | 54.3                       | (13.4)        | 35.7                    | (10.9)        | 30.0                      | (8.5)         | 11.3     | (2,31)        | <.001                   |
| MCSDS                 | 15.0                       | (1.2)         | 15.3                    | (5.2)         | 19.8                      | (6.6)         | 2.2      | (2,32)        | ns                      |
| <u>Phys Responses</u> |                            |               |                         |               |                           |               |          |               |                         |
| Heart Rate            | 10.5                       | (12.6)        | 1.0                     | (4.4)         | 2.5                       | (3.5)         | 5.1      | (2,34)        | .01                     |
| Skin Conductance      | 1.9                        | (2.5)         | 0.7                     | (1.0)         | 0.2                       | (0.6)         | 5.5      | (2,34)        | .009                    |
| Frnt. EMG             | 1.9                        | (3.4)         | 0.9                     | (1.3)         | 0.7                       | (1.5)         | <1       | (2,34)        | ns                      |
| Corr. EMG             | 9.0                        | (9.3)         | 2.4                     | (2.1)         | 1.9                       | (2.4)         | 6.9      | (2,34)        | .003                    |

Note. CAPS= Clinician-Administered PTSD Scale; Mississippi Scale= Civilian Mississippi Scale; IES= Impact of Events Scale; SCL-90-R (GSI)= Symptom Checklist-90-Revised (General Symptom Index); STAI= Spielberger State-Trait Anxiety Inventory; MCSDS= Marlowe Crowne Social Desirability Scale; Post Hoc Test=Ryan-Einot-Gabriel-Welsch Multiple Range Test.

Table 2. Group Means, Standard Deviations, and Results of *t*-tests for Demographic, Psychometric, and Psychophysiological Response Measures in Breast Cancer Witnesses

| Variable                     | CURRENT + PAST<br>( <i>n</i> = 6) |               | NEVER<br>( <i>n</i> = 17) |               | <i>t</i> (21) | <i>p</i> |
|------------------------------|-----------------------------------|---------------|---------------------------|---------------|---------------|----------|
|                              | <i>M</i>                          | ( <i>SD</i> ) | <i>M</i>                  | ( <i>SD</i> ) |               |          |
| <u>Demographics</u>          |                                   |               |                           |               |               |          |
| Age (years)                  | 48.7                              | (10.3)        | 53.2                      | (11.1)        | 0.9           | .39      |
| Education (years)            | 15.0                              | (3.9)         | 14.5                      | (2.2)         | 0.4           | .69      |
| <u>Psychometrics</u>         |                                   |               |                           |               |               |          |
| CAPS Total                   | 34.8                              | (17.1)        | 5.7                       | (7.2)         | 5.9           | <.001    |
| CAPS B                       | 11.3                              | (7.6)         | 1.2                       | (2.3)         | 5.0           | <.001    |
| CAPS C                       | 8.7                               | (7.8)         | 1.9                       | (4.0)         | 2.7           | .01      |
| CAPS D                       | 14.8                              | (10.7)        | 2.5                       | (4.1)         | 4.1           | <.001    |
| Mississippi Scale            | 78.3                              | (23.5)        | 60.8                      | (13.0)        | 2.3           | .04      |
| IES Total                    | 23.8                              | (11.8)        | 4.3                       | (4.3)         | 5.8           | <.001    |
| IES Intrusion                | 7.7                               | (4.7)         | 1.7                       | (2.3)         | 4.0           | <.001    |
| IES Avoidance                | 11.3                              | (5.4)         | 2.1                       | (2.0)         | 6.0           | <.001    |
| IES Arousal                  | 4.8                               | (4.4)         | 0.5                       | (1.2)         | 3.6           | .002     |
| SCL-90-R                     | 0.7                               | (0.6)         | 0.2                       | (0.2)         | 3.0           | .006     |
| STAI (Trait)                 | 41.7                              | (11.4)        | 30.9                      | (8.0)         | 2.5           | .02      |
| MCSDS                        | 15.7                              | (8.0)         | 21.2                      | (7.5)         | 1.9           | .07      |
| <u>Physiologic Responses</u> |                                   |               |                           |               |               |          |
| Heart Rate                   | 2.3                               | (3.4)         | 2.0                       | (4.3)         | 0.2           | .88      |
| Skin Conductance             | 1.16                              | (1.51)        | 0.08                      | (0.51)        | 2.6           | .02      |
| Frontalis EMG                | 1.5                               | (3.2)         | 0.2                       | (1.1)         | 1.4           | .17      |
| Corrugator EMG               | 0.5                               | (2.3)         | 0.8                       | (1.1)         | 0.4           | .71      |

Note. CAPS= Clinician-Administered PTSD Scale; Mississippi Scale= Civilian Mississippi Scale; IES= Impact of Events Scale; SCL-90-R (GSI)= Symptom Checklist-90-Revised (General Symptom Index); STAI= Spielberger State-Trait Anxiety Inventory; MCSDS= Marlowe Crowne Social Desirability Scale; Post Hoc Test=Ryan-Einot-Gabriel-Welsch Multiple Range Test.



DEPARTMENT OF THE ARMY

US ARMY MEDICAL RESEARCH AND MATERIEL COMMAND  
504 SCOTT STREET  
FORT DETRICK, MARYLAND 21702-5012

REPLY TO  
ATTENTION OF:

MCMR-RMI-S (70-1y)

23 Aug 01

MEMORANDUM FOR Administrator, Defense Technical Information  
Center (DTIC-OCA), 8725 John J. Kingman Road, Fort Belvoir,  
VA 22060-6218


SUBJECT: Request Change in Distribution Statement

1. The U.S. Army Medical Research and Materiel Command has reexamined the need for the limitation assigned to the technical reports listed at enclosure. Request the limited distribution statement for these reports be changed to "Approved for public release; distribution unlimited." These reports should be released to the National Technical Information Service.

2. Point of contact for this request is Ms. Judy Pawlus at DSN 343-7322 or by e-mail at judy.pawlus@det.amedd.army.mil.

FOR THE COMMANDER:

Encl

  
PHYLLIS M. RINEHART  
Deputy Chief of Staff for  
Information Management

Reports to be Downgraded to Unlimited Distribution

|           |           |           |           |
|-----------|-----------|-----------|-----------|
| ADB241560 | ADB253628 | ADB249654 | ADB263448 |
| ADB251657 | ADB257757 | ADB264967 | ADB245021 |
| ADB263525 | ADB264736 | ADB247697 | ADB264544 |
| ADB222448 | ADB255427 | ADB263453 | ADB254454 |
| ADB234468 | ADB264757 | ADB243646 |           |
| ADB249596 | ADB232924 | ADB263428 |           |
| ADB263270 | ADB232927 | ADB240500 |           |
| ADB231841 | ADB245382 | ADB253090 |           |
| ADB239007 | ADB258158 | ADB265236 |           |
| ADB263737 | ADB264506 | ADB264610 |           |
| ADB239263 | ADB243027 | ADB251613 |           |
| ADB251995 | ADB233334 | ADB237451 |           |
| ADB233106 | ADB242926 | ADB249671 |           |
| ADB262619 | ADB262637 | ADB262475 |           |
| ADB233111 | ADB251649 | ADB264579 |           |
| ADB240497 | ADB264549 | ADB244768 |           |
| ADB257618 | ADB248354 | ADB258553 |           |
| ADB240496 | ADB258768 | ADB244278 |           |
| ADB233747 | ADB247842 | ADB257305 |           |
| ADB240160 | ADB264611 | ADB245442 |           |
| ADB258646 | ADB244931 | ADB256780 |           |
| ADB264626 | ADB263444 | ADB264797 |           |